

# PERMACON

Masonry  
2026





# Permacon is Decades of Expertise and Innovation

## A Big Family

Oldcastle APG has over 8,500 family members throughout our network of facilities across North America. With over 200 locations, we take pride in being the largest producer of architectural building products on the continent. As industry leaders, we drive the trends and set the standards for quality and innovation.

## Locally Made

With eight plants across Quebec and Ontario, Permacon specializes in manufacturing high-quality concrete products crafted to meet the evolving needs of today and tomorrow.

## Continuous Innovation

Permacon continually refines its processes to deliver products that embody the latest in innovation and excellence.



Stone	<ul style="list-style-type: none"> <li>20 Aria</li> <li>22 Dominion</li> <li>24 Lafitt</li> <li>26 Lafitt Alto</li> <li>28 Lamina</li> <li>30 Lexa</li> <li>32 Maestro</li> <li>34 Mondrian</li> <li>36 Vika</li> </ul>	Brick	<ul style="list-style-type: none"> <li>40 Cardin</li> <li>42 Cinco Plus</li> <li>43 Cinco Plus Stone</li> <li>44 Melville Norman</li> <li>46 Melville Slik</li> </ul>	48	<ul style="list-style-type: none"> <li>48 Accessories</li> <li>49 Tools</li> <li>50 Warranty</li> </ul>
18				38	48

# Contents



**N** New

Cover: Lafitt Stone Oasis - P24



As the day fades, golden light sweeps across the soft coloured stone, revealing the softness of its textures. Warm wood tones enrich the space, while black accents highlight the elegance of a minimalist design wrapped in quiet serenity.





Lafitt Stone - Blizzard | Melville Slik Brick - Rockland Black



## Bold Contrast



The mix of light and dark tones creates a strong, elegant balance. The home façade combines precise lines with black accents, resulting in a clean and contemporary style.

# Contemporary by Nature






## Crafted with Stone, Finished with Style

The architecture reveals contemporary elegance. Every line reflects the strength of the design and the calm of a style rooted in nature.

Mondrian Stone - Range Newport Grey





Lamina Stone - Range Newport Grey | Lexa Stone - Alpine Grey



The façade stands out with a multi-dimensional composition where stone, brick, and greenery come together with subtle balance. The light tones of the Lexa stone and Melville Slik brick enhance the texture of the Lamina stone, giving the home a contemporary, harmonious look.



Mondrian Stone - Blizzard



The Mondrian stone in Blizzard delicately reflects the light, creating a smooth visual transition from the main wall to the decorative accent wall. The wood-look metal cladding softens the overall aesthetic, while the flat roof framed in black metal highlights the home's modern style.



The Perfect Balance  
between Stone and Brick





## Stone


- 20 Aria
- 22 Dominion
- 24 Lafitt
- 26 Lafitt Alto
- 28 Lamina
- 30 Lexa
- 32 Maestro
- 34 Mondrian
- 36 Vika

**Dominion Stone**  
Limestone - P 22

**Lafitt Stone**  
Oasis - P 24



## Aria Stone [☰]



Blizzard



Heron



Range Newport Grey



Rockland Black

Unit A  
90 x 60 mm x var. | 3 1/2 x 2 3/8 in. x var.

Unit B  
90 x 102 mm x var. | 3 1/2 x 4 in. x var.

Unit C\*  
90 x 172 mm x var. | 3 1/2 x 6 3/4 in. x var.

Units A, B and C are sold together and available for all colours.

\* Unit C is also sold separately and available in Blizzard and Heron.



Blizzard



## Dominion Stone



Limestone



Milano



Graphite

Unit A  
90 x 190 x 390 mm  
3 1/2 x 7 1/2 x 15 3/8 in.

Unit B  
90 x 190 x 590 mm  
3 1/2 x 7 1/2 x 23 1/4 in.

Unit C  
90 x 290 x 590 mm  
3 1/2 x 11 7/16 x 23 1/4 in.

Milano and Graphite are only available for units B and C.  
Units A, B and C are sold separately.



Limestone



# Lafitt Stone



Blizzard



Range Scandina Grey



Range Chambord Grey



Range Newport Grey



Range Margaux Beige



Rockland Black



Oasis



Terra



Oasis

Unit A 90 x 102 mm x var. | 3 1/2 x 4 in. x var.  
 Unit B 90 x 178 mm x var. | 3 1/2 x 7 in. x var.  
 Unit C\* 90 x 292 mm x var. | 3 1/2 x 11 1/2 in. x var.

\* Sold separately



## Lafitt Alto Stone



Range Margaux Beige



Range Chambord Grey



Range Scandina Grey



Range Newport Grey



Range Chambord Grey  
and Range Newport Grey

Unit A  
90 x 102 mm x var. | 3 1/2 x 4 in. x var.

Unit B  
90 x 178 mm x var. | 3 1/2 x 7 in. x var.

Unit C\*  
90 x 292 mm x var. | 3 1/2 x 11 1/2 in. x var.

\* Sold separately



## Lamina Stone



Range Margaux Beige



Range Newport Grey



Rockland Black



Range  
Newport Grey

Unit  
90 x 95 mm x var. | 3 1/2 x 3 3/4 in. x var.



## Lexa Stone [ ]



Cameo Beige



Alpine Grey



Cameo  
Beige

- Unit A  
90 x 76 mm x var. | 3 1/2 x 3 in. x var.
- Unit B  
90 x 114 mm x var. | 3 1/2 x 4 1/2 in. x var.
- Unit C\*  
90 x 198 mm x var. | 3 1/2 x 7 13/16 in. x var.

\* Sold separately



## Maestro Stone



Cameo Beige



Cameo  
Beige

Unit  
90 x 90 x 890 mm | 3 1/2 x 3 1/2 x 35 in.



# Mondrian Stone



Oasis N



Blizzard



Range Amber Beige



Range Margaux Beige



Range Scandina Grey



Range Newport Grey



Blizzard

- Unit A 90 x 60 mm x var. | 3 1/2 x 2 3/8 in. x var.
- Unit B 90 x 102 mm x var. | 3 1/2 x 4 in. x var.
- Unit C 90 x 172 mm x var. | 3 1/2 x 6 3/4 in. x var.



## Vika Stone



Oasis



Range Chambord Grey



Range Newport Grey



Range  
Newport Grey

Unit A  
90 x 56.5 mm x var. | 3 1/2 x 2 1/4 in. x var.  
Unit B  
90 x 123 mm x var. | 3 1/2 x 4 7/8 in. x var.  
Unit C  
90 x 190 mm x var. | 3 1/2 x 7 1/2 in. x var.



## Brick

- 40 Cardin
- 42 Cinco Plus
- 43 Cinco Plus Stone
- 44 Melville Norman
- 46 Melville Slik


**Dominion Jamb**  
Limestone - P 48

**Melville Slik Brick**  
Range Newport Grey - P 46


**Aria Stone** Heron - P 20



## Cardin Brick [≡]



Arctic White



Blizzard



Blizzard

Unit  
90 x 79 x 257 mm | 3 1/2 x 3 1/8 x 10 1/8 in.

## Cinco Plus Brick [ ]



Range Margaux Beige



Range Scandina Grey



Range Chambord Grey



Range Grey and Black



Range Newport Grey



Rockland Black

Unit 90 x 92 mm x var. | 3 1/2 x 3 5/8 in. x var.

Range Grey and Black and Rockland Black are not available in the Greater Toronto Area.

## Cinco Plus Stone [ ]



Range Scandina Grey



Range Newport Grey



Range Chambord Grey

Unit 90 x 196 mm x var. | 3 1/2 x 7 23/32 in. x var.



Range Newport Grey



Range Chambord Grey



# Melville Norman Brick [≡]



Alpine Grey



Sterling Grey




Rockland Black



Alpine  
Grey

Unit  
90 x 57 x 290 mm | 3 1/2 x 2 1/4 x 11 7/16 in.



Range  
Scandina Grey


## Melville Slik Brick [≡]



Oasis



Range Margaux Beige



Cameo Beige



Alpine Grey



Range Scandina Grey



Sterling Grey



Range Chambord Grey



Range Newport Grey



Rockland Black



Terra



Lisbon N



Sepia N

Unit 90 x 79 x 257 mm | 3 1/2 x 3 1/8 x 10 1/8 in.

## Accessories




### Dominion

#### Jamb and Reversible Window Sill [≡] [≡]



**Reversible Dominion Window Sill**  
145 x 75 x 914 mm | 5 11/16 x 3 x 36 in.



**Dominion Jamb**  
89 x 254 x 610 mm | 3 1/2 x 10 x 24 in.



Limestone

### Cardiff Window Sill [≡] [≡]



**Cardiff Window Sill - Smooth**  
150 x 79 x 948 mm | 5 7/8 x 3 1/8 x 37 3/8 in.



Smooth Sterling Grey



Smooth Off-White

**Cardiff Window Sill - Chiselled**  
150 x 79 x 948 mm | 5 7/8 x 3 1/8 x 37 3/8 in.



Chiselled Off-White

# A unique experience for professionals.



Masonry Hatch Pattern Library



Masonry Seamless Texture Library

#### Visual resources

Explore our online directories of masonry hatch patterns and textures, making it easy to create visually rich, detailed designs.



#### The samples you need

Make sure you choose the right material for your project by ordering samples of our products for on-site evaluation.



State-of-the-art tools  
Access Permacon seamless textures  
and hatch patterns for use in your  
design software.

## Pro Zone

Discover our dedicated **Pro Zone**. Check out our tools and resources, take advantage of our specialized training courses and more. Turn your ideas into reality with Permacon!



permacon.ca

## 50-Year Warranty | Residential Masonry

Permacon's 50-year warranty applies to landscape and masonry products including Suretouch intended for residential use<sup>1</sup>. This warranty statement affirms that products manufactured by Permacon meet the requirements of CSA (Canadian Standard Association) and ASTM (American Society for Testing and Materials) standards.

For details regarding commercial applications, please refer to our institutional, commercial and industrial warranty.

Permacon guarantees that, as of the date of delivery, its concrete products are free from manufacturing defects. Provided that the conditions set forth below are met, Permacon guarantees the structural integrity of the concrete in its landscaping and masonry products for a period of 50 years from the date of the product's purchase. The warranty applies to normal, non-abusive use of the product. To preserve the original appearance of your products, we recommend that you consult our Landscape Maintenance Guide available on our website.

**IN ALL CASES DETAILED BELOW, THE WARRANTY IS LIMITED TO THE PRODUCTS' MARKET VALUE.**



### How do I make a claim?

Proof of purchase is required to proceed with a claim request. No claims will be accepted without proof of purchase.<sup>2</sup>

All claims must be reported within 15 days of the discovery of a product's defect. To validate a claim, a Permacon representative will arrive to inspect the defective products in order to confirm whether the claim is eligible. Therefore, it is essential to provide Permacon with the necessary access to inspect and take photos of the affected products.

This warranty is the only one that is presently offered. Because Permacon continually improves and modifies its products, it may alter and discontinue products at any time, and therefore may replace warranty-covered products with products of similar quality or offer monetary compensation if the products under warranty have been discontinued or are no longer on the market while the warranty is active.

In the event that a product is found to be non-compliant by Permacon or an authorized representative of the company, and in order to proceed with compensation, Permacon will take into account the number of months during which the landscape or masonry products were in the possession of the owner or their contractor, up to the date of the claim, and will prorate the amount of the payment or replacement to be made accordingly.

For example, if the purchaser makes a warranty claim in the last month of the 10<sup>th</sup> year of the warranty (i.e., the 120<sup>th</sup> month), the manufacturer, at its sole discretion, shall either:

- Provide a replacement for the product in question if still available (only the defective product will be replaced);
- Return 480/600 of the price paid for the products to the owner. No labour, transportation, or other compensation will be covered by Permacon.

### Transferability

The warranty is transferable. Proof of warranty registration will still be required in the event of a claim. The prorated period will be based on the 50-year warranty period remaining as an assignee, if the purchaser transfers the warranty to a subsequent owner, as described above.

### Installation

When installing masonry products, all work must be cleaned to remove any residues and contaminants left on the stone or brick. Permacon accepts no responsibility for stains and colour changes caused by installation residue or the consequences of cleaning these residues.

### Colour

**The presence of natural ingredients used in the manufacturing process varies from one product to another. Therefore, the product received on the job site will not be completely identical to the products displayed in our commercial presentations (catalogs, samples, displays). Any difference in colour will not be covered by the guarantee.**

Photos of our products in landscape and masonry brochures, as well as in displays such as masonry panels and landscape racks at our distributors, are not an exact representation of the products that will be delivered to the job site. Permacon offers a variety of products with different colours to reproduce the appearance of natural stone. It is therefore strongly recommended that you view several products directly from your authorized Permacon distributor to see all available colours.

**It is the purchaser's responsibility to approve the products (and their colour) delivered to the job site prior to installation to confirm satisfaction. It is also recommended to mix products from different pallets received on the job site. Since variations in colour shades are a natural phenomenon, Permacon does not guarantee colour uniformity between different pallets on the same job site. Product installation constitutes acceptance.**

### Polymeric film

A whitish polymeric film can be found on the surface of Permacon's products. This is the result of an inadequate use of polymeric sand. Improper cleaning of slabs and pavers prior to the application of water on the product surface can cause this whitish polymeric film. This film does not affect the structural integrity of the product. Permacon cannot be held responsible for this phenomenon, which is not covered by the warranty.

### Efflorescence

White traces on the surface of the product are caused by a natural phenomenon called efflorescence. More visible on darker products, efflorescence affects neither the intrinsic technical qualities nor the structural integrity of Permacon's products. The possible appearance of efflorescence cannot be the subject of any guarantee. In most cases, efflorescence disappears by itself over time.

### Exclusions

A landscape or masonry product installed on an area of more than **100 square feet** confirms the acceptance of the product received on the job site and that no claim can be made to Permacon regarding the colour, size, or texture of the product.

This warranty excludes all products not supplied by Permacon, as well as any defects, failures, or damages that may result from the actions listed below:


- Contact with chemicals or cleaning products;
- Damage caused by pressure washers;
- Improper installation or other construction activities that do not comply with the installation standards established by CMHA or IMQ, the National Building Code or the installation methods and tips recommended by Permacon. The installation guides provided by Permacon represent certain installation situations and are not exhaustive. It is therefore strongly recommended that you consult a qualified professional to ensure the proper installation of Permacon products on a specific job site;
- Defective design or construction resulting in sagging, shifting, or failure;
- Breakage due to shock, impact, or excessive load during handling, use, or transportation;
- Natural disaster or other uncontrollable event;
- Breakage and damage to products caused by soil movement or building movement as well as misuse of construction, compaction, or snow removal equipment. The warranty does not cover surface deterioration caused by the misuse of sodium chloride (NaCl) to de-ice pavers, slabs, or steps;
- The use of sodium chloride (NaCl) on the following products:
  - Step Valentia;
  - Valentia Block;
- Be.OnStone, Mirage and Techniseal products sold by Permacon.

<sup>1</sup> The following locations are defined as residential: family dwelling of five units or less, single family homes, garden suites, or townhouses.

<sup>2</sup> The following documents are considered valid proof of purchase: invoices directly from an authorized Permacon distributor, or invoice from a landscape contractor, general contractor, mason, or home builder.

Since 1952

all Permacon products have been made with passion and pride in Canada.



**PERMACON**  
A CRH COMPANY

permacon.ca

1 888 PERMACON